
LIFE LINES

R. Venba, see *JALCA* **100**, 354, 2005

Swarna V. Kanth, see *JALCA* **101**, 435, 2006

N.K. Chanderbabu, see *JALCA* **96**, 127, 2001

J.M. Morera, see *JALCA* **101**, 284, 2006

Esther Bartoli, see *JALCA* **101**, 347, 2006

Luisa F. Cabeza, see *JALCA* **96**, 319, 2001

Marc Medrano is a Ramon and Cajal Researcher at the Applied Energy Research Group at the University of Lleida, Spain. He received his PhD in Chemical Engineering from the University of Tarragona, Spain. His research includes distributed generation systems, thermal activated systems such as absorption chillers, and thermal storage with Phase Change Materials (PCMs). He designs and operates thermal storage systems with PCM for water tanks and for building applications. He is a regular instructor at the University of Lleida for both undergraduate and graduate courses.

Wang Xuechuan is a professor of the College of Resource and Environment at Shaanxi University of Science & Technology, P.R. China. His main study area is green chemical and cleaning technologies. He is also an academic advisor for doctoral students. He obtained his doctor's degree in 2003 from Sichuan University, P.R.China, and is the editor of publications in national journals. He is presently the dean of College of Resource and Environment.

Ren Longfang is a doctoral student in the College of Resource and Environment at Shaanxi University of Science & Technology, P.R. China. He is majoring in the study of formaldehyde scavengers and recycling of leather wastes.

Qiang Taotao is a tutor of the College of Resource and Environment at Shaanxi University of Science & Technology, P.R. China. He has a doctor degree.

N. Nishad Fathima, see *JALCA* **96**, 417, 2001

C. Pragadhish received his B. Tech degree in biotechnology from SRM University, Chennai, India

B. Purushothaman received his B. Tech degree in biotechnology from SRM University, Chennai, India

J. Raghava Rao, see *JALCA* **93**, 156, 1998

Balachandran Unni Nair, see *JALCA* **93**, 156, 1998

2009
CALL FOR PAPERS
FOR THE 105TH ANNUAL MEETING OF THE
AMERICAN LEATHER CHEMISTS ASSOCIATION
JUNE 18 – 21, 2008

If you have recently completed or will shortly be completing research studies relevant to hide preservation, hide and leather defects, leather manufacturing technology, new product development, tannery equipment development, leather properties and specifications, tannery environmental management, or other related subjects, you are encouraged to present the results of this research at the next annual convention of the Association to be held at the Oglebay Resort & Conference Center, Wheeling, WV on June 18 - 21, 2009.

Abstracts are preferred via email and must be submitted by January 30, 2009 to the Chair of the Technical Program:

Mr. David LeBlanc
c/o TFL USA/Canada, Inc.
8301 New Trails Dr., Suite 100
The Woodlands, TX 77381
USA
Cell Phone: 336 491 2009
Email: david.leblanc@tfl.com

Each abstract should begin with the title in capital letters, followed by the authors' names. The name of the speaker should be denoted by an asterisk, and contact information should be provided that includes an email address. The abstract should be no longer than 300 English words and preferably furnished as a Microsoft Word or Adobe* .PDF document.

Manuscripts based on the presentation, **in publication-ready form**, are expected by May 15, 2009. They should be sent in electronic format (either as an email attachment or on a CD-R) by that date to:

Robert F. White, Journal Editor
c/o The American Leather Chemists Association
1314 50th Street, Suite 103
Lubbock, TX 79412-2940
USA
E-mail: jalcaeditor@prodigy.net
Mobile Phone (616) 540-2469

Presentations at the convention will be limited to 25 minutes. In accordance with the Association Bylaws, papers covering such presentations are to be submitted to the *Journal of the American Leather Chemists Association* for publication consideration. Those papers are not to be published elsewhere, other than in abstract form, without permission of the *Journal* Editor, Robert F. White.

INDEX
TO
VOLUME 103, 2008
AUTHOR INDEX

ALDEMA-RAMOS, M.	Identification of Decorin and other Proteins in Bovine Hide during its Processing into Leather	324
ALLISON, R.	Soaking: Balancing Operational and Quality Issues using Both Fresh and Brine Cured Hides	76
ANANDAN, D.	Enzymatic Dehairing of Cattlehide with an Alkaline Protease Isolated from <i>Aspergillus Tamaris</i>	338
ANTHONY, T.	Characterization of the Predominant Bacteria Associated with Sheep and Goat Skin	222
AQUIM, P.	Reduction of Water Demand and Treatment Cost in Tanneries through Reuse Technique.	138
ARAVINDHAN, R.	Glove Leather Manufacture from Sheepskins: Influence of Fatliquors and Syntans on the Gloving Properties	182
BABU, N.	Microbial Degradation of Horn Meal with <i>Bacillus Subtilis</i> and its Application in Leather Processing: A Two Fold Approach	89
BACARDIT, A.	Effect of Ultrasound on Watery Dissolutions of Vegetable Extracts used in Leather Tanning.	151
BACARDIT, A.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158
BAILEY, D.	Recent Developments in the Short-term Preservation of Cattle Hides.	383
BALAJI, G.	Glove Leather Manufacture from Sheepskins: Influence of Fatliquors and Syntans on the Gloving Properties	182
BALAJI, S.	Microbial Degradation of Horn Meal with <i>Bacillus Subtilis</i> and its Application in Leather Processing: A Two Fold Approach	89
BARTOLI, E.	Effect of Ultrasound on Watery Dissolutions of Vegetable Extracts used in Leather Tanning.	151
BARTOLI, E.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158
BARTOLI, E.	Evaluation of the Energy Savings when using Vacuum Dryers with Total Thermal Energy Recovery in Tanneries	412
BASKAR, G.	High Exhaust Chrome Tanning using Novel Copolymer for Eco-friendly Leather Processing	36
BAYRAMOGLU, E.	Elimination of Free Formaldehyde in Leather by using <i>Vinca rosea</i> and <i>Camellia sinensis</i> Extracts	119
BLACK, C.	Soaking: Balancing Operational and Quality Issues using Both Fresh and Brine Cured Hides	76
BROWN, E.	Effect of Fillers Prepared from Enzymatically Modified Proteins on Mechanical Properties of Leather.	128
BROWN, E.	Exploring a Role in Tanning for the Gap Region of the Collagen Fibril: Catechin-Collagen Interactions	290
BROWN, E.	Tanning Effects of Aluminum – Genipin or – Vegetable Tannin Combinations.	377

CABEZA, L.	Evaluation of the Energy Savings when using Vacuum Dryers with Total Thermal Energy Recovery in Tanneries	412
CASETILLO, D.	Life Cycle Assessment (LCA) of the Oxidative Unhairing Process by Hydrogen Peroxide.	1
CELMA, P.	Transformation Plant for Converting Chromium Waste into Chemical Products for the Leather Industry.	103
CHAI, S.	Synthesis, Application and Comparison of Aqueous Polyurethane	191
CHANDRABABU, N.	Electrochemical Oxidation and Reuse of Pickling Wastewater from Tanneries	370
CHANDRABABU, N.	Novel Approach towards High Exhaust Chromium Tanning – Part I: Role of Enzymes in the Tanning Process.	401
CHANDRASEKARAN, B.	Mechanical Properties of Sheep Nappa Leather Influencing Drape	255
CHANDRASEKARN, B.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
CHANGQINE, Z.	New Antimicrobial Complex of Copper(II) with Benzothiazole Derivative: Synthesis and Application in the Leather Industry	114
COOKE, P.	Mathematical Model of Raw Hide Curing with Brine	167
COOKE, P.	Polymeric Coatings Containing Antioxidants to Improve UV and Heat Resistance of Chrome-Free Leather.	207
COT, J.	Transformation Plant for Converting Chromium Waste into Chemical Products for the Leather Industry.	103
COT-GORES, J.	Transformation Plant for Converting Chromium Waste into Chemical Products for the Leather Industry.	103
COVINGTON, A.	Quo Vadit Chromium? The Future Directions of Tanning	7
CUADROS, S.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
DEL RIO, J.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158
DERKSEN, A.	Carbodiimides in Leather Finishing II: Recent Advances	393
DHANASELVAN, M.	Electrochemical Oxidation and Reuse of Pickling Wastewater from Tanneries	370
DIAZ, V.	Effect of Ultrasound on Watery Dissolutions of Vegetable Extracts used in Leather Tanning	151
DIAZ, V.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158
DIDATO, D.	Soaking: Balancing Operational and Quality Issues using Both Fresh and Brine Cured Hides	76
DIDATO, D.	Recent Developments in the Short-term Preservation of Cattle Hides	383
DI MAIO, G.	Polymeric Coatings Containing Antioxidants to Improve UV and Heat Resistance of Chrome-Free Leather.	207
DING, K.	Tanning Effects of Aluminum – Genipin or – Vegetable Tannin Combinations.	377
DUDLEY, R.	Mathematical Model of Raw Hide Curing with Brine	167
DUDLEY, R.	Enzymatic Dehairing of Cattlehide with an Alkaline Protease Isolated from <i>Aspergillus Tamaris</i>	338
FABREGAT, G.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158

FERNANDEZ-HERVAS, F.	Transformation Plant for Converting Chromium Waste into Chemical Products for the Leather Industry.	103
FINLAYSON, R.	New Acoustic Methods for Nondestructive Evaluation of Leather Quality	94
FONT, J.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
FORTIS, L.	Identification of Decorin and other Proteins in Bovine Hide during its Processing into Leather	324
FU, L.	Synthesis, Application and Comparison of Aqueous Polyurethane	191
GASMELSEED, G.	Henna Extract: Can it be an Alternative Retanning Agent?	228
GIERYCZ, P.	Pertraction of Cr(III) from Modeling Exhaustion Tanning Bath with a Bulk Liquid Membrane.	298
GIRIDHAR, A.	Synergistic Effect of <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> in the Biodegradation of Phenolic Compounds	262
GODINEZ-AZCUAGA, V.	New Acoustic Methods for Nondestructive Evaluation of Leather Quality	94
GODINEZ-AZCUAGA, V.	Airborne Ultrasonics for Nondestructive Evaluation of Leather Quality	249
GOPI, K.	Ultrasound Assisted Diffusion in Vegetable Tanning for Leather Processing	330
GUNASEKARAN, P.	Characterization of the Predominant Bacteria Associated with Sheep and Goat Skin	222
GUPTA, S.	High Exhaust Chrome Tanning using Novel Copolymer for Eco-friendly Leather Processing	36
GURBUZ, G.	Elimination of Free Formaldehyde in Leather by using <i>Vinca rosea</i> and <i>Camellia sinensis</i> Extracts	119
GUTTERRES, M.	Reduction of Water Demand and Treatment Cost in Tanneries through Reuse Technique.	138
HAIBIN, G.	New Antimicrobial Complex of Copper(II) with Benzothiazole Derivative: Synthesis and Application in the Leather Industry	114
HANSEN, M.	Airborne Ultrasonics for Nondestructive Evaluation of Leather Quality	249
HANSON, M.	New Acoustic Methods for Nondestructive Evaluation of Leather Quality	94
HARIKRISHNAN, M.	Ultrasound Assisted Diffusion in Vegetable Tanning for Leather Processing	330
HERNANDEZ, E.	Mathematical Model of Raw Hide Curing with Brine	167
HESSELMANS, L.	Carbodiimides in Leather Finishing II: Recent Advances.	393
HUANG, H.	Qualitative and Quantitative Studies of Various Leather Types using X-Ray Fluorescence Spectrometry	216
JANOCOVA, D.	The Influence of Thermal Crosslinking on Solubility of Films Prepared from Collagen Hydrolysate	314
JIANG, S.	Removal of Aromatic Organic Acids from Aqueous Solution by using Chrome Leather Waste as an Adsorbent	62
JORBA, M.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
JUAREZ, M.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
KALENDER, D.	Elimination of Free Formaldehyde in Leather by using <i>Vinca rosea</i> and <i>Camellia sinensis</i> Extracts	119

KANAGARAJ, J.	High Exhaust Chrome Tanning using Novel Copolymer for Eco-friendly Leather Processing	36
KANNAN, P.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
KANTH, S.	Glove Leather Manufacture from Sheepskins: Influence of Fatliquors and Syntans on the Gloving Properties	182
KANTH, S.	Novel Approach towards High Exhaust Chromium Tanning – Part I: Role of Enzymes in the Tanning Process.	401
KARTHIKEYAN, R.	Microbial Degradation of Horn Meal with <i>Bacillus Subtilis</i> and its Application in Leather Processing: A Two Fold Approach	89
KAYALVIZHI, N.	Characterization of the Predominant Bacteria Associated with Sheep and Goat Skin	222
KILIC, E.	Elimination of Free Formaldehyde in Leather by using <i>Vinca rosea</i> and <i>Camellia sinensis</i> Extracts	119
KOLOMAZNIK, K.	Mathematical Model of Raw Hide Curing with Brine	167
KOLOMAZNIK, K.	The Influence of Thermal Crosslinking on Solubility of Films Prepared from Collagen Hydrolysate	314
KORGAN, A.	Elimination of Free Formaldehyde in Leather by using <i>Vinca rosea</i> and <i>Camellia sinensis</i> Extracts	119
KRISHNARAJ, K.	Mechanical Properties of Sheep Nappa Leather Influencing Drape	255
KUMAR, M.	Microbial Degradation of Horn Meal with <i>Bacillus Subtilis</i> and its Application in Leather Processing: A Two Fold Approach	89
LANGMAIER, F.	The Influence of Thermal Crosslinking on Solubility of Films Prepared from Collagen Hydrolysate	314
LATONA, N.	New Acoustic Methods for Nondestructive Evaluation of Leather Quality	94
LATONA, N.	Polymeric Coatings Containing Antioxidants to Improve UV and Heat Resistance of Chrome-Free Leather.	207
LATONA, N.	Airborne Ultrasonics for Nondestructive Evaluation of Leather Quality	249
LATONA, R.	Identification of Decorin and other Proteins in Bovine Hide during its Processing into Leather	324
LIAO, X.	Removal of Aromatic Organic Acids from Aqueous Solution by using Chrome Leather Waste as an Adsorbent	62
LIU, C-K.	New Acoustic Methods for Nondestructive Evaluation of Leather Quality	94
LIU, C-K.	Polymeric Coatings Containing Antioxidants to Improve UV and Heat Resistance of Chrome-Free Leather.	207
LIU, C-K.	Airborne Ultrasonics for Nondestructive Evaluation of Leather Quality	249
LU, H.	Elasticity Studies on Leather Retanned with Various Types of Acrylic Polymers	363
MA, J.	Elasticity Studies on Leather Retanned with Various Types of Acrylic Polymers	363
MADHAN, B.	Glove Leather Manufacture from Sheepskins: Influence of Fatliquors and Syntans on the Gloving Properties	182
MADHAN, B.	Henna Extract: Can it be an Alternative Retanning Agent?	228

MADHULATHA, W.	Henna Extract: Can it be an Alternative Retanning Agent?	228
MANICH, A.	Factors that Influence the Physical Properties of Goatskins: Polymeric Derivatives and Optimization of the Process	174
MARMER, W.	Effect of Fillers Prepared from Enzymatically Modified Proteins on Mechanical Properties of Leather.	128
MARMER, W.	Mathematical Model of Raw Hide Curing with Brine	167
MARMER, W.	Identification of Decorin and other Proteins in Bovine Hide during its Processing into Leather	324
MARMER, W.	Enzymatic Dehairing of Cattlehide with an Alkaline Protease Isolated from <i>Aspergillus Tamaris</i>	338
MARSAL, A.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
MARSAL, A.	Transformation Plant for Converting Chromium Waste into Chemical Products for the Leather Industry.	103
MARSAL, A.	Factors that Influence the Physical Properties of Goatskins: Polymeric Derivatives and Optimization of the Process	174
MEDRANO, M.	Evaluation of the Energy Savings when using Vacuum Dryers with Total Thermal Energy Recovery in Tanneries	412
MLADEK, M.	The Influence of Thermal Crosslinking on Solubility of Films Prepared from Collagen Hydrolysate	314
MOKREJS, P.	The Influence of Thermal Crosslinking on Solubility of Films Prepared from Collagen Hydrolysate	314
MORERA, J.	Effect of Ultrasound on Watery Dissolutions of Vegetable Extracts used in Leather Tanning	151
MORERA, J.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158
MORERA, J.	Evaluation of the Energy Savings when using Vacuum Dryers with Total Thermal Energy Recovery in Tanneries	412
MUSA, A.	Henna Extract: Can it be an Alternative Retanning Agent?	228
NAGIAH, N.	Synergistic Effect of <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> in the Biodegradation of Phenolic Compounds	262
NAIR, B.	A Modified Leather Processing Method for Water and Pollution Reduction in Tannery	24
NAIR, B.	Natural Dyeing of Leathers using Natural Materials	68
NAIR, B.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
NAIR, B.	Synergistic Effect of <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> in the Biodegradation of Phenolic Compounds	262
NAIR, B.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
NAIR, B.	Consequence of UV Irradiation on the Zirconium Tanned Collagen: A Molecular Level Study	422
NISHAD, N.	Consequence of UV Irradiation on the Zirconium Tanned Collagen: A Molecular Level Study	422
OLLE, L.	Effect of Ultrasound on Watery Dissolutions of Vegetable Extracts used in Leather Tanning	151
OLLE, L.	Optimization of Various Parameters in Vegetable Tanning using Ultrasound	158

OZEVIN, D.	Airborne Ultrasonics for Nondestructive Evaluation of Leather Quality	249
OZGUNAY, H.	Lightfastness Properties of Leathers Tanned with Various Vegetable Tannins	345
PALOP, R.	Factors that Influence the Physical Properties of Goatskins: Polymeric Derivatives and Optimization of the Process	174
PASSOS, J.	Reduction of Water Demand and Treatment Cost in Tanneries through Reuse Technique.	138
POSTHUMUS, W.	Carbodiimides in Leather Finishing II: Recent Advances	393
PRAGADHISH, C.	Consequence of UV Irradiation on the Zirconium Tanned Collagen: A Molecular Level Study	422
PRAKASH, A.	Natural Dyeing of Leathers using Natural Materials	68
PREMKUMAR, D.	Microemulsion Copolymers for Retanning Applications on Leathers	144
PUCCINI, M.	Life Cycle Assessment (LCA) of the Oxidative Unhairing Process by Hydrogen Peroxide.	1
PUNITHA, V.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
PURUSHOTHAMAN, B.	Consequence of UV Irradiation on the Zirconium Tanned Collagen: A Molecular Level Study	422
QI, P.	Exploring a Role in Tanning for the Gap Region of the Collagen Fibril: Catechin-Collagen Interactions	290
QIANG, T.	Synthesis of Hyper-branched Polymer with Terminal Amidogen and its Application as Formaldehyde Scavenger in Leather.	416
RAJESWARI, G.	Electrochemical Oxidation and Reuse of Pickling Wastewater from Tanneries	370
RAMASAMI, T.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
RAMILINGAM, S.	Electrochemical Oxidation and Reuse of Pickling Wastewater from Tanneries	370
RAO, J.	A Modified Leather Processing Method for Water and Pollution Reduction in Tannery	24
RAO, J.	Natural Dyeing of Leathers using Natural Materials	68
RAO, J.	Glove Leather Manufacture from Sheepskins: Influence of Fatliquors and Syntans on the Gloving Properties	182
RAO, J.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
RAO, J.	Synergistic Effect of <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> in the Biodegradation of Phenolic Compounds	262
RAO, J.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
RAO, J.	Consequence of UV Irradiation on the Zirconium Tanned Collagen: A Molecular Level Study	422
RAO, P.	Ultrasound Assisted Diffusion in Vegetable Tanning for Leather Processing	330
RATHINAM, A.	Synergistic Effect of <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> in the Biodegradation of Phenolic Compounds	262
REDDY, B.	High Exhaust Chrome Tanning using Novel Copolymer for Eco-friendly Leather Processing	36
REDDY, G.	Microemulsion Copolymers for Retanning Applications on Leathers	144
RELIGA, P.	Petractation of Cr(III) from Modeling Exhaustion Tanning Bath with a Bulk Liquid Membrane.	298

REN, L.	Synthesis of Hyper-branched Polymer with Terminal Amidogen and its Application as Formaldehyde Scavenger in Leather.	416
REYES, M.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
RIUS, T.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
SADULLA, S.	Glove Leather Manufacture from Sheepskins: Influence of Fatliquors and Syntans on the Gloving Properties	182
SADULLA, S.	Henna Extract: Can it be an Alternative Retanning Agent?	228
SARAVANABHAVAN, S.	A Modified Leather Processing Method for Water and Pollution Reduction in Tannery	24
SARAVANABHAVAN, S.	Natural Dyeing of Leathers using Natural Materials	68
SARAVANABHAVAN, S.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
SARAVANABHAVAN, S.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
SARAVANAN, P.	Microemulsion Copolymers for Retanning Applications on Leathers	144
SARAVANAN, P.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
SARAVANAN, P.	Electrochemical Oxidation and Reuse of Pickling Wastewater from Tanneries	370
SEGGIANI, M.	Life Cycle Assessment (LCA) of the Oxidative Unhairing Process by Hydrogen Peroxide.	1
SEHGAL, P.	Microbial Degradation of Horn Meal with <i>Bacillus Subtilis</i> and its Application in Leather Processing: A Two Fold Approach	89
SENTHILKUMAR, M.	Ultrasound Assisted Diffusion in Vegetable Tanning for Leather Processing	330
SEVERO, L.	Reduction of Water Demand and Treatment Cost in Tanneries through Reuse Technique.	138
SHELLY, D.	Qualitative and Quantitative Studies of Various Leather Types using X-Ray Fluorescence Spectrometry	216
SHELLY, D.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
SHENDRYK, A.	Effect of Ultrasound on Watery Dissolutions of Vegetable Extracts used in Leather Tanning	151
SHI, B.	Removal of Aromatic Organic Acids from Aqueous Solution by using Chrome Leather Waste as an Adsorbent	62
SHI, B.	The 49th John Arthur Wilson Memorial Lecture: Diversified Applications of Tanning Principles	270
SHI, B.	Award and Acceptance of the John Arthur Wilson Memorial Lecture Plaque.	283
SIVAKUMAR, V.	Ultrasound Assisted Diffusion in Vegetable Tanning for Leather Processing	330
SREERAM, K.	Natural Dyeing of Leathers using Natural Materials	68
STEELE, S.	Soaking: Balancing Operational and Quality Issues using Both Fresh and Brine Cured Hides	76
STEELE, S.	Recent Developments in the Short-term Preservation of Cattle Hides	383
STOCKMAN, G.	Soaking: Balancing Operational and Quality Issues using Both Fresh and Brine Cured Hides	76
STOCKMAN, G.	Recent Developments in the Short-term Preservation of Cattle Hides	383
SUGUMAR, R.	Microemulsion Copolymers for Retanning Applications on Leathers	144
SUNDARAPANDIVAN, S.	Electrochemical Oxidation and Reuse of Pickling Wastewater from Tanneries	370

SWAMINATHAN, G.	Ultrasound Assisted Diffusion in Vegetable Tanning for Leather Processing	330
TAN, H.	Synthesis, Application and Comparison of Aqueous Polyurethane	191
TAYLOR, M.	Effect of Fillers Prepared from Enzymatically Modified Proteins on Mechanical Properties of Leather.	128
TAYLOR, M.	Tanning Effects of Aluminum – Genipin or – Vegetable Tannin Combinations.	377
TAYLOR, M.	Award and Acceptance of the John Arthur Wilson Memorial Lecture Plaque.	283
THANGARAJ, T.	Natural Dyeing of Leathers using Natural Materials	68
THANIKAIVELAN, P.	Enzymatic Removal of Melanin in Enzyme Based Dehairing and Fiber Opening	243
THANIKAIVELAN, P.	Mechanical Properties of Sheep Nappa Leather Influencing Drape	255
THANIKAIVELAN, P.	Performance and Eco-Impact of Reverse Processed Hair Sheep Gloving Leather	303
TRIERWEILER, J.	Reduction of Water Demand and Treatment Cost in Tanneries through Reuse Technique.	138
VASEK, V.	The Influence of Thermal Crosslinking on Solubility of Films Prepared from Collagen Hydrolysate	314
VENBA, R.	Novel Approach towards High Exhaust Chromium Tanning – Part I: Role of Enzymes in the Tanning Process.	401
VERDU, E.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
VIERA, S.	Inter-laboratory Study on Formaldehyde Determination by HPLC	53
VITOLO, S.	Life Cycle Assessment (LCA) of the Oxidative Unhairing Process by Hydrogen Peroxide.	1
WANG, X.	Synthesis of Hyper-branched Polymer with Terminal Amidogen and its Application as Formaldehyde Scavenger in Leather.	416
WUYONG, C.	New Antimicrobial Complex of Copper(II) with Benzothiazole Derivative: Synthesis and Application in the Leather Industry	114
XIA, H.	New Antimicrobial Complex of Copper(II) with Benzothiazole Derivative: Synthesis and Application in the Leather Industry	114
ZAMMORI, F.	Life Cycle Assessment (LCA) of the Oxidative Unhairing Process by Hydrogen Peroxide.	1
ZHANG, M.	Removal of Aromatic Organic Acids from Aqueous Solution by using Chrome Leather Waste as an Adsorbent	62